



Decocoat™ Color Collection
The High Performance
Wall and Floor Coating



50006 NEW LEOPARD GRAY



50027 NEW TUSK



50028 NEW SHEER



51002 NEW PEPPER SAND



50013 NEW EBONY SAND




50030 NEW DOVETAIL



50011 NEW WARM SAND



50031 NEW COASTAL



50002 NEW LEXINGTON GRAY



50033 NEW PALLADIUM




50015 NEW WASHED SILVER



51001 NEW COBBLED BEACH



51022 NEW SPICE CLOUD



50035 NEW NOCTURNE



50008 NEW PALE PLUM




51016 NEW CHESTNUT GLAZE

NOTE: Custom colors and custom color matching are available in addition to these Sto Decocoat standards.




50022 NEW CINNAMON FROST



50029 NEW SEDONA FROST




50023 NEW SUMMER TWEED




50021 NEW POLAR BLUE




51003 NEW PALE CINNEBAR




50032 NEW CRIMSON MOON




51007 NEW SILVER STONE



50017 NEW BLUE MIST




51013 NEW SPICE GROVE




51004 NEW JASPER




50034 NEW CASTAWAY



51010 NEW MONTEREY BLUE




50036 NEW AUTUMN LEAF



50037 NEW MOLOKINI



50038 NEW GREENSPACE



50039 NEW FRESCA

NOTE: Custom colors and custom color matching are available in addition to these Sto Decocoat standards.

An advanced wall and floor coating engineered for exceptional performance in pedestrian traffic areas.

Incredible durability and low maintenance are the result of Sto Decocoat’s unique composition; millions of tiny color coated beads encased in a powerful acrylic binder. As a tough, seamless and vapor permeable finish, this coating won’t tear or peel, is simple to clean and easy to patch. Decocoat is also water-based and VOC compliant with EPA and SCAQMD. Very simply, Decocoat will look beautiful far longer than ordinary wall coverings and coatings.

Designing with Decocoat

With its subtle texture and softly variegated color palettes Sto Decocoat can be used as an interior or exterior coating over prepared concrete, masonry, plaster, drywall surfaces, or as a finish in Sto Wall Claddings providing distinctive design possibilities for both horizontal and vertical surfaces. Custom color combinations of Sto Decocoat are available. Designers can integrate the product into its surroundings by having Sto match Decocoat to an existing finish, a coating, a stone sample or other material submitted to Sto Corp.

Decocoat is ideal for airports, healthcare facilities, schools, restaurants, hotels, or corporate, commercial and public settings . . . wherever beautiful walls or floors need a superior protection.

Limitations

This chart offers a representation of Sto Decocoat color. Actual color of manufactured product may vary slightly from the chart. Furthermore, samples may vary slightly in color and texture from production materials made for a particular job. Trace levels of off-colored particles may be present. For color combinations involving exclusively light-colored beads, this may be undesirable. It is always recommended to install a large sample wall area to assure desired results.



ATTENTION

Sto products are intended for use by qualified professional contractors, not consumers, as a component of a larger construction assembly as specified by a qualified design professional, general contractor or builder. They should be installed in accordance with those specifications and Sto's instructions. Sto Corp. disclaims all, and assumes no, liability for on-site inspections, for its products applied improperly, or by unqualified persons or entities, or as part of an improperly designed or constructed building, for the nonperformance of adjacent building components or assemblies, or for other construction activities beyond Sto's control. Improper use of Sto products or use as part of an improperly designed or constructed larger assembly or building may result in serious damage to this product, and to the structure of the building or its components. **STO CORP. DISCLAIMS ALL WARRANTIES EXPRESSED OR IMPLIED EXCEPT FOR EXPLICIT LIMITED WRITTEN WARRANTIES ISSUED TO AND ACCEPTED BY BUILDING OWNERS IN ACCORDANCE WITH STO'S WARRANTY PROGRAMS WHICH ARE SUBJECT TO CHANGE FROM TIME TO TIME.** For the fullest, most current information on proper application, clean-up, mixing and other specifications and warranties, cautions and disclaimers, please refer to the Sto Corp. website, www.stocorp.com.

Sto Corp.
 3800 Camp Creek Parkway
 Building 1400, Suite 120
 Atlanta, GA 30331
 Tel: 404-346-3666
 Toll Free: 1-800-221-2397
 Fax: 404-346-3119
www.stocorp.com



S305C 10/11 VEN 5609